

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PCS 004 Diesel Einspritzreinig _300ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Fuel additiv

1.3. Details of the supplier of the safety data

Parts-Center AG
Postfach 120
LI-9496 Balzers
info@parts-center.ch

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

May be fatal if swallowed and enters airways.

Causes skin irritation.

Causes serious eye irritation.

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling


Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates

Kohlenwasserstoffe, C10, Aromaten, <1 % Naphthalin

Signal word:

Danger

Pictograms:



Hazard statements

H304

May be fatal if swallowed and enters airways.

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements

P273

Avoid release to the environment.

P280

Wear protective gloves.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 2 of 14

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64742-48-9	Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates	50 - <= 100 %		
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304 EUH066			
27247-96-7	2-Ethylhexyl nitrate	5 - < 10 %		
	248-363-6		01-2119539586-27	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Aquatic Chronic 2; H332 H312 H302 H411 EUH044 EUH066			
104-76-7	2-Ethylhexan-1-ol	1 - < 3 %		
	203-234-3		01-2119487289-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H332 H315 H319 H335			
110-91-8	morpholine	1 - < 3 %		
	203-815-1		01-2119496057-30	
	Flam. Liq. 3, Acute Tox. 3, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1; H226 H331 H311 H302 H314 H318			
	N-methyl-N-[C18-(unsaturated)alkanoyl]glycine			1 - < 3 %
	701-177-3		01-2119488991-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Acute 1; H332 H315 H318 H400			
95-38-5	2-(2-heptadec-8-enyl-2-imidazol-1-yl)ethanol	0.1 - < 1 %		
	202-414-9		01-2119777867-13	
	Acute Tox. 4, Skin Corr. 1C, STOT RE 2, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 1); H302 H314 H373 H400 H410			

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons, < 5 % aromatic hydrocarbons.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 3 of 14

After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO₂). Extinguishing powder.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO₂, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 4 of 14

of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Further information on handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

Advice on storage compatibility

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
110-91-8	Morpholine	10	36		TWA (8 h)	WEL
		20	72		STEL (15 min)	WEL

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 5 of 14

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
27247-96-7	2-Ethylhexyl nitrate			
Worker DNEL, long-term		inhalation	systemic	0,35 mg/m ³
Worker DNEL, long-term		dermal	systemic	1 mg/kg bw/day
Consumer DNEL, long-term		dermal	systemic	0,52 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,025 mg/kg bw/day
	N-methyl-N-[C18-(unsaturated)alkanoyl]glycine			
Worker DNEL, long-term		inhalation	systemic	0,8 mg/m ³
Worker DNEL, long-term		dermal	systemic	20 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,4 mg/m ³
Consumer DNEL, long-term		dermal	systemic	10 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	10 mg/kg bw/day
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol			
Worker DNEL, long-term		inhalation	systemic	0,46 mg/m ³
Worker DNEL, acute		inhalation	systemic	14 mg/m ³
Worker DNEL, long-term		dermal	systemic	0,06 mg/kg bw/day
Worker DNEL, acute		dermal	systemic	2 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PL-S012 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 6 of 14

PNEC values

CAS No	Substance	Value
Environmental compartment		
27247-96-7	2-Ethylhexyl nitrate	
Freshwater		0,0008 mg/l
Marine water		0,00008 mg/l
Freshwater sediment		0,00074 mg/kg
Marine sediment		0,00074 mg/kg
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		0,000191 mg/kg
N-methyl-N-[C18-(unsaturated)alkanoyl]glycine		
Freshwater		0,00043 mg/l
Freshwater (intermittent releases)		0,0043 mg/l
Marine water		0,000043 mg/l
Freshwater sediment		0,007 mg/kg
Marine sediment		0,001 mg/kg
Micro-organisms in sewage treatment plants (STP)		1 mg/l
Soil		1,71 mg/kg
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	
Freshwater		0 mg/l
Freshwater (intermittent releases)		0 mg/l
Marine water		0 mg/l
Freshwater sediment		0,376 mg/kg
Marine sediment		0,038 mg/kg
Micro-organisms in sewage treatment plants (STP)		0,27 mg/l
Soil		0,075 mg/kg

Additional advice on limit values

- a no restriction
- b End of exposure or end of shift
- c at long term exposure: after several previous shifts
- d before next shift

- blood (B)
- Urine (U)

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Protective and hygiene measures

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.
DIN EN 166

Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 7 of 14

chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time (maximum wearing time) 480min

Thickness of the glove material 0,45 mm

DIN EN 374

Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

Respiratory protection

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

When exceeding the relevant workplace exposure limits, note the following:

Suitable respiratory protective equipment: Combination filter device (DIN EN 141)..

Filtering device with filter or ventilator filtering device of type: A

Observe the wear time limits as specified by the manufacturer.

Observe legal regulations and provisions.

Environmental exposure controls

Observe legal regulations and provisions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Odour:	characteristic

pH-Value (at 20 °C):	not determined	Test method DIN 19268
----------------------	----------------	---------------------------------

Changes in the physical state

Melting point:	not determined
----------------	----------------

Initial boiling point and boiling range:	> 100 °C
--	----------

Flash point:	62 °C	ISO 3679
--------------	-------	----------

Flammability

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Lower explosion limits:	0,5
-------------------------	-----

Upper explosion limits:	7
-------------------------	---

Auto-ignition temperature

Solid:	not applicable
--------	----------------

Gas:	not applicable
------	----------------

Decomposition temperature:	not determined
----------------------------	----------------

Oxidizing properties

Not oxidising.

Vapour pressure:	not determined
------------------	----------------

Density (at 20 °C):	0,831 g/cm ³	DIN 51757
---------------------	-------------------------	-----------

Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
-------------------	--	--

Solubility in other solvents

not determined

Partition coefficient:	not determined
------------------------	----------------

Safety Data Sheet



according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 8 of 14

Viscosity / dynamic:	DIN 53019-1
Viscosity / kinematic: (at 40 °C)	< 20,5 mm ² /s DIN EN ISO 3104
Flow time: (at 20 °C)	DIN EN ISO 2431
Vapour density:	not determined
Evaporation rate:	not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO₂, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

Further information

Do not mix with other chemicals.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

There are no data available on the mixture itself.

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 9 of 14

CAS No	Chemical name			
	Exposure route	Dose	Species	Source
64742-48-9	Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates			
	oral	LD50 >8000 mg/kg	Rat	
	dermal	LD50 >3160 mg/kg	Rabbit	
	inhalation (4 h) vapour	LC50 4951 mg/l	Rat	
27247-96-7	2-Ethylhexyl nitrate			
	oral	LD50 >9640 mg/kg	Rat	
	dermal	LD50 >4820 mg/kg	Rabbit	
	inhalation (4 h) vapour	LC50 11 mg/l	Rat	
	inhalation aerosol	ATE 1,5 mg/l		
104-76-7	2-Ethylhexan-1-ol			
	oral	LD50 2047 mg/kg	Rat	
	dermal	LD50 > 3000 mg/kg	Rat	
	inhalation (4 h) vapour	LC50 11 mg/l	Rat	
	inhalation aerosol	ATE 1,5 mg/l		
110-91-8	morpholine			
	oral	LD50 1900 mg/kg	Rat	
	dermal	LD50 500 mg/kg	Rabbit	
	inhalation (4 h) vapour	LC50 8 mg/l	Rat	
	inhalation aerosol	ATE 0,5 mg/l		
	inhalation (4 h) gas	LC50 8000 ppm	Rat	
	N-methyl-N-[C18-(unsaturated)alkanoyl]glycine			
	oral	LD50 > 5000 mg/kg	Rat	Study report (1981)
	inhalation vapour	ATE 11 mg/l		
	inhalation (4 h) aerosol	LC50 1,37 mg/l	Rat	
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol			
	oral	LD50 ca. 1085 mg/kg	Rat	Study report (1989)
	dermal	LD50 >2000 mg/kg	Rabbit	

Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 10 of 14

Aspiration hazard

May be fatal if swallowed and enters airways. (Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates)

Specific effects in experiment on an animal

No information available.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 11 of 14

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
64742-48-9	Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates				
	Acute fish toxicity	LC50 >1000 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50 >1000 mg/l	96 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50 >1000 mg/l	48 h	Daphnia magna	
27247-96-7	2-Ethylhexyl nitrate				
	Acute fish toxicity	LC50 2 mg/l	96 h	Danio rerio	Study report (2010)
	Acute algae toxicity	ErC50 > 12,6 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (1998)
	Acute crustacea toxicity	EC50 > 12,6 mg/l	48 h	Daphnia magna	Study report (1998)
	Acute bacteria toxicity	(> 1000 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (2010)
104-76-7	2-Ethylhexan-1-ol				
	Acute fish toxicity	LC50 17,1 mg/l	96 h	Leuciscus idus (golden orfe)	
	Acute algae toxicity	ErC50 11,5 mg/l	72 h	Scenedesmus subspicatus	
	Acute crustacea toxicity	EC50 39 mg/l	48 h	Daphnia magna	
110-91-8	morpholine				
	Acute fish toxicity	LC50 179 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50 58 mg/l	72 h	Desmodesmus subspicatus	
	Acute crustacea toxicity	EC50 45 mg/l	48 h	Daphnia magna (Big water flea)	
	Algae toxicity	NOEC 10 mg/l	4 d	Desmodesmus subspicatus	
	N-methyl-N-[C18-(unsaturated)alkanoyl]glycine				
	Acute fish toxicity	LC50 > 0,43 mg/l	96 h	Leuciscus idus	REACH Registration Dossier
	Acute algae toxicity	ErC50 5,1 mg/l	72 h	Desmodesmus subspicatus	REACH Registration Dossier
	Acute crustacea toxicity	EC50 0,53 mg/l	48 h	Daphnia magna	REACH Registration Dossier
	Acute bacteria toxicity	(1300 mg/l)	3 h	Activated sludge	REACH Registration Dossier
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol				
	Acute fish toxicity	LC50 0,3 mg/l	96 h	Brachydanio rerio (zebra-fish)	
	Acute algae toxicity	ErC50 0,03 mg/l	72 h	Desmodesmus subspicatus	Study report (2010)
	Acute crustacea toxicity	EC50 0,163 mg/l	48 h	Daphnia magna	Study report (2010)

12.2. Persistence and degradability

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 12 of 14

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
110-91-8	morpholine				
	OECD 301E		93%	25	
	Easily biodegradable (concerning to the criteria of the OECD)				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
27247-96-7	2-Ethylhexyl nitrate	5,24
104-76-7	2-Ethylhexan-1-ol	2,9
110-91-8	morpholine	-2,55
	N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	>= 3,5
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	8,4

BCF

CAS No	Chemical name	BCF	Species	Source
110-91-8	morpholine	< 2,8		
	N-methyl-N-[C18-(unsaturated)alkanoyl]glycine	1,98	fish	BCFBAF version 3.01
95-38-5	2-(2-heptadec-8-enyl-2-imidazolin-1-yl)ethanol	371,8		EPIWIN calculation (

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

Waste disposal number of used product

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 13 of 14

SECTION 14: Transport information

Land transport (ADR/RID)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 28: Hydrocarbons, C10 - C13, n-alkanes, iso-alkanes, cyclics, < 2 % aromates

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): No information available.

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]:

Calculation method.

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

PCS 004 Diesel Einspritzreinig _300ml

Product code: 1901355

Page 14 of 14

Water contaminating class (D): 2 - clearly water contaminating

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,13,14,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

ATE: Acute Toxicity Estimate

STEL (EC) Short Term Exposure Limit

LC50: Lethal Concentration

EC50: half maximal Effective Concentration

ErC50: means EC50 in terms of reduction of growth rate

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH044	Risk of explosion if heated under confinement.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)